WEST Search History

Hide Items Restore Clear Cancel

DATE: Wednesday, November 17, 2004

Hide?	Set Name	Query	Hit Count
	DB = PGPB, US	PT,USOC,EPAB,JPAB,DWPI; PLUR	=YES; OP=ADJ
www.	L14	L13 not 111	31
	L13	17 not 18	34
	L12	L11 not 18	3
	L11	19 or 110	12
	L10	17 and burn	6
П	L9	17 and trauma	6
	L8	L7 and wound	12
	L7	14 and L6	46
	L6	antisense or anti-sense	56818
ACMAGN.	L5	antisense or anti-sense	56818
	L4	12 or L3	131
	L3	connexin-43	34
	L2	connexin43	99
	L1	connexin	510

END OF SEARCH HISTORY

WEST Search History

Hide Items Restore Clear Cancel

DATE: Wednesday, November 17, 2004

Hide?	Set Name	Query	Hit Count
	DB=PGPB,US	PT,USOC,EPAB,JPAB,DWPI; PLU	VR=YES; OP=ADJ
	L14	L13 not 111	31
	L13	17 not 18	34
annear d	L12	L11 not 18	3
	L11	19 or 110	12
market and	L10	17 and burn	. 6
	L9	17 and trauma	6
	L8	L7 and wound	12
	L7	14 and L6	46
	L6	antisense or anti-sense	56818
	L5	antisense or anti-sense	56818
011104	L4	12 or L3	131
	L3	connexin-43	34
	L2	connexin43	99
	L1	connexin	510

END OF SEARCH HISTORY

McGarry, Sean

To: Subject: STIC-Biotech/ChemLib SEQ SEARCH 09/890,363

Sean McGarry AU 1635 REM 02D19 Office REM 2C18 Mailbox X20761

09/890,363

Please, a length limited search of SEQ ID NO: 1 (n.t. ≤ 75).

Thank You

Welcome to STN International! Enter x:x

LOGINID:ssspta1805sxm

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

```
Welcome to STN International
                 Web Page URLs for STN Seminar Schedule - N. America
NEWS
NEWS
                 "Ask CAS" for self-help around the clock
                BEILSTEIN enhanced with new display and select options,
NEWS
     3 JUL 12
                 resulting in a closer connection to BABS
                 IFIPAT/IFIUDB/IFICDB reloaded with new search and display
NEWS
     4 AUG 02
                 fields
NEWS
     5 AUG 02
                 CAplus and CA patent records enhanced with European and Japan
                 Patent Office Classifications
                 The Analysis Edition of STN Express with Discover!
NEWS
        AUG 02
                 (Version 7.01 for Windows) now available
                 BIOCOMMERCE: Changes and enhancements to content coverage
NEWS
     7
        AUG 27
                BIOTECHABS/BIOTECHDS: Two new display fields added for legal
NEWS
        AUG 27
                 status data from INPADOC
                 INPADOC: New family current-awareness alert (SDI) available
NEWS 9
        SEP 01
                 New pricing for the Save Answers for SciFinder Wizard within
NEWS 10
        SEP 01
                 STN Express with Discover!
                 New display format, HITSTR, available in WPIDS/WPINDEX/WPIX
NEWS 11
        SEP 01
NEWS 12
        SEP 27
                 STANDARDS will no longer be available on STN
        SEP 27
                 SWETSCAN will no longer be available on STN
NEWS 13
                 KOREAPAT now available on STN
NEWS 14 OCT 28
NEWS EXPRESS
             OCTOBER 29 CURRENT WINDOWS VERSION IS V7.01A, CURRENT
              MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP),
              AND CURRENT DISCOVER FILE IS DATED 11 AUGUST 2004
NEWS HOURS
              STN Operating Hours Plus Help Desk Availability
NEWS INTER
              General Internet Information
NEWS LOGIN
              Welcome Banner and News Items
NEWS PHONE
              Direct Dial and Telecommunication Network Access to STN
NEWS WWW
              CAS World Wide Web Site (general information)
```

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

FILE 'HOME' ENTERED AT 10:07:41 ON 17 NOV 2004

=> file medline caplus embase biotechno biosis scisearch
COST IN U.S. DOLLARS
SINCE FILE
ENTRY
SESSION
FULL ESTIMATED COST
0.21
0.21

```
FILE 'MEDLINE' ENTERED AT 10:08:21 ON 17 NOV 2004
FILE 'CAPLUS' ENTERED AT 10:08:21 ON 17 NOV 2004
HISE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)
FILE 'EMBASE' ENTERED AT 10:08:21 ON 17 NOV 2004
COPYRIGHT (C) 2004 Elsevier Inc. All rights reserved.
FILE 'BIOTECHNO' ENTERED AT 10:08:21 ON 17 NOV 2004
COPYRIGHT (C) 2004 Elsevier Science B.V., Amsterdam. All rights reserved.
FILE 'BIOSIS' ENTERED AT 10:08:21 ON 17 NOV 2004
Copyright (c) 2004 The Thomson Corporation.
FILE 'SCISEARCH' ENTERED AT 10:08:21 ON 17 NOV 2004
Copyright (c) 2004 The Thomson Corporation.
=> s connexin
        19141 CONNEXIN
=> s connexin43
        5439 CONNEXIN43
=> s connexin-43
        8698 CONNEXIN-43
=> s antisense or anti-sense
       143567 ANTISENSE OR ANTI-SENSE
=> s ribozyme
L5
        21179 RIBOZYME
=> s sirna or rnai
        12598 SIRNA OR RNAI
L6
=> s 12 or 13
        11804 L2 OR L3
L7
\Rightarrow s 17 and 14
           305 L7 AND L4
L<sub>8</sub>
=> 1717 and 15
L7L7 IS NOT A RECOGNIZED COMMAND
The previous command name entered was not recognized by the system.
For a list of commands available to you in the current file, enter
"HELP COMMANDS" at an arrow prompt (=>).
=> s 17 and 15
             2 L7 AND L5
L9
=>
=> s 17 and 16
             4 L7 AND L6
L10
=> s 18 and wound
             7 L8 AND WOUND
L11
=> dup rem 111
PROCESSING COMPLETED FOR L11
```

3 DUP REM L11 (4 DUPLICATES REMOVED)

L12

=> d 1-3 ab

L12 ANSWER 1 OF 3 EMBASE COPYRIGHT 2004 ELSEVIER INC. ALL RIGHTS RESERVED. on STN

MEDLINE on STN DUPLICATE 1 ANSWER 2 OF 3 L12The repair of tissue damage is a key survival process in all organisms and AB involves the coordinated activation of several cell types. Cell-cell communication is clearly fundamental to this process, and a great deal is known about extracellular communication within the wound site via cytokines. Here we show that direct cell-cell communication through connexin 43 (Cx43) gap junction channels also plays a major role in the wound healing process. In two different wound healing models, incisional and excisional skin lesions, we show that a single topical application of Cx43 antisense gel brings about a transient downregulation of Cx43 protein levels, and this results in a dramatic increase in the rate of wound closure. Cx43 knockdown reduces inflammation, seen both macroscopically, as a reduction in swelling, redness, and wound gape, and microscopically, as a significant decrease in neutrophil numbers in the tissue around the wound. One long-term consequence of the improved rate of healing is a significant reduction in the extent of granulation tissue deposition and the subsequent formation of a smaller, less distorted, scar. This approach is likely to have widespread therapeutic applications in other injured tissues and opens up new avenues of research into improving the wound healing process.

ANSWER 3 OF 3 CAPLUS COPYRIGHT 2004 ACS on STN T-12 AB A therapeutic and/or cosmetic formulation comprising at least one anti-sense polynucleotide to a connexin protein together with a pharmaceutically acceptable carrier or vehicle is useful in site-specific down-regulation of connexin protein expression, particularly in reduction of neuronal cell death, wound healing, reduction of inflammation, decrease of scar formation and skin rejuvenation and thickening.

=> d 1-3

- L12ANSWER 1 OF 3 EMBASE COPYRIGHT 2004 ELSEVIER INC. ALL RIGHTS RESERVED. on STN
- AN 2004221775 EMBASE
- TIConnecting wounds with connexins.
- ΑU Hodgins M.B.
- M.B. Hodgins, Squamous Cell Biol. and Dermatology, Div. Cancer Sci. and CS Molec. Pathol., University of Glasgow, Glasgow, United Kingdom
- Journal of Investigative Dermatology, (2004) 122/5 (ix-x). SO Refs: 12

ISSN: 0022-202X CODEN: JIDEAE

- CY United States
- DT Journal; Editorial
- General Pathology and Pathological Anatomy FS 005 Dermatology and Venereology 013

 - Clinical Biochemistry 029
- LA English
- ANSWER 2 OF 3 MEDLINE on STN L12

DUPLICATE 1

- 2003460481 MEDLINE ΑN
- PubMed ID: 14521835 DN
- Targeting connexin43 expression accelerates the rate of TI wound repair.
- Qiu Cindy; Coutinho Petula; Frank Stefanie; Franke Susanne; Law Lee-yong; AU Martin Paul; Green Colin R; Becker David L
- CS Department of Anatomy and Developmental Biology, University College

```
Current biology: CB, (2003 Sep 30) 13 (19) 1697-703.
SO
     Journal code: 9107782. ISSN: 0960-9822.
     England: United Kingdom
CY
DT
     Journal; Article; (JOURNAL ARTICLE)
LA
     English
     Priority Journals
FS
     200406
EM
     Entered STN: 20031003
ED
     Last Updated on STN: 20040606
     Entered Medline: 20040604
     ANSWER 3 OF 3 CAPLUS COPYRIGHT 2004 ACS on STN
     2000:535022 CAPLUS
ΑN
     133:155431
DN
TI
     Formulations comprising antisense nucleotides to connexins
     Becker, David Laurence; Green, Colin Richard
IN
     University College London, UK
PΑ
SO
     PCT Int. Appl., 64 pp.
     CODEN: PIXXD2
DT
     Patent
     English
FAN.CNT 1
                          KIND DATE
                                               APPLICATION NO.
                                                                         DATE
     PATENT NO.
                                   _____
                                                ----
      ______
                                   20000803 WO 2000-GB238
     WO 2000044409
                           A1
                                                                          20000127
ΡI
          W: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU,
              CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM,
              AZ, BY, KG, KZ, MD, RU, TJ, TM
          RW: GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE,
              DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG
                            AA 20000803 CA 2000-2361251
A1 20011024 EP 2000-901236
                                                                           20000127
     CA 2361251
                                                                           20000127
     EP 1146908
         R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
              IE, FI
     JP 2002535377
                            T2
                                   20021022
                                                 JP 2000-595711
                                                                           20000127
     NZ 513154
                            Α
                                   20040130
                                                 NZ 2000-513154
                                                                           20000127
     AU 776512
                                                 AU 2000-21193
                            B2
                                   20040909
                                                                           20000127
                           Α
PRAI NZ 1999-333928
                                   19990127
     NZ 1999-500190
                            Α
                                   19991007
     WO 2000-GB238
                            W
                                   20000127
               THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD
RE.CNT 5
               ALL CITATIONS AVAILABLE IN THE RE FORMAT
=> d his
      (FILE 'HOME' ENTERED AT 10:07:41 ON 17 NOV 2004)
      FILE 'MEDLINE, CAPLUS, EMBASE, BIOTECHNO, BIOSIS, SCISEARCH' ENTERED AT
      10:08:21 ON 17 NOV 2004
L1
           19141 S CONNEXIN
            5439 S CONNEXIN43
L2
            8698 S CONNEXIN-43
L3
          143567 S ANTISENSE OR ANTI-SENSE
L4
           21179 S RIBOZYME
L5
L6
           12598 S SIRNA OR RNAI
           11804 S L2 OR L3
L7
             305 S L7 AND L4
L8
               2 S L7 AND L5
L9
```

London, Gower St., WC1E 6BT London, UK.

```
4 S L7 AND L6
L10
              7 S L8 AND WOUND
L11
              3 DUP REM L11 (4 DUPLICATES REMOVED)
L12
=> d 19 1-2
     ANSWER 1 OF 2 EMBASE COPYRIGHT 2004 ELSEVIER INC. ALL RIGHTS RESERVED.
Ь9
     on STN
     1998367597 EMBASE
AN
     Workshop on cardiovascular specific gene expression; Maastricht, The
TI
     Netherlands, 12-14 December 1997.
AU
     Doevendans P.A.; Reneman R.S.; Van Bilsen M.
     Pflugers Archiv European Journal of Physiology, (1998) 436/6 (1016-1020).
SO
     ISSN: 0031-6768 CODEN: PFLABK
CY
     Germany
DT
     Journal; Conference Article
FS
             Physiology
     005
             General Pathology and Pathological Anatomy
             Cardiovascular Diseases and Cardiovascular Surgery
     English
LΑ
L9
      ANSWER 2 OF 2 BIOTECHNO COPYRIGHT 2004 Elsevier Science B.V. on STN
      1998:28496752
                      BIOTECHNO
AN
      Workshop on cardiovascular specific gene expression; Maastricht, The
TI
      Netherlands, 12-14 December 1997
      Doevendans P.A.; Reneman R.S.; Van Bilsen M.
ΑU
SO
      Pflugers Archiv European Journal of Physiology, (1998), 436/6 (1016-1020)
      CODEN: PFLABK ISSN: 0031-6768
DT
      Journal; Conference Article
CY
      Germany, Federal Republic of
LA
      English
=> d ab 1 l9
Ь9
     ANSWER 1 OF 2 EMBASE COPYRIGHT 2004 ELSEVIER INC. ALL RIGHTS RESERVED.
     on STN
=> dup rem 110
PROCESSING COMPLETED FOR L10
              1 DUP REM L10 (3 DUPLICATES REMOVED)
L13
=> d ab
```

MEDLINE on STN L13 ANSWER 1 OF 1 DUPLICATE 1 BACKGROUND: Connexins form gap junctions that mediate the transfer of ions, metabolites, and second messengers between contacting cells. Many aspects of connexin function, for example cellular transport, plaque assembly and stability, and channel conductivity, are finely tuned and likely involve proteins that bind to connexins' cytoplasmic domains. However, little is known about such regulatory proteins. To identify novel proteins that interact with the COOH-terminal domain of Connexin-43 (Cx43), the most widely expressed connexin family member, we applied a proteomics approach to screen fractions of mouse tissue homogenates for binding partners. RESULTS: Drebrin was recovered as a binding partner of the Cx43 COOH-terminal domain from mouse brain homogenate. Drebrin had previously been described as an actin binding protein that diminishes in brains during Alzheimer's disease. novel Drebrin-Cx43 interaction identified by proteomics was confirmed by colocalization of endogenous proteins in astrocytes and Vero cells, coimmunoprecipitation, electron microscopy, electrophysiology, coexpression of both proteins with fluorescent tags, and live-cell FRET analysis. Depletion of Drebrin in cells with siRNA results in

impaired cell-cell coupling, internalization of gap junctions, and targeting of Cx43 to a degradative pathway. CONCLUSIONS: We conclude that Drebrin is required for maintaining Cx43-containing gap junctions in their functional state at the plasma membrane. It is thus possible that Drebrin may interact with gap junctions in zones of cell-cell contacts in a regulated fashion in response to extracellular signals. The rearrangement or disruption of interactions between connexins and the Drebrin-containing submembrane cytoskeleton directs connexins to degradative cellular pathways.

=> d 1

L13 ANSWER 1 OF 1 MEDLINE on STN

DUPLICATE 1

AN 2004188732 MEDLINE

DN PubMed ID: 15084279

TI Drebrin is a novel connexin-43 binding partner that links gap junctions to the submembrane cytoskeleton.

AU Butkevich Eugenia; Hulsmann Swen; Wenzel Dirk; Shirao Tomoaki; Duden Rainer; Majoul Irina

CS Department of Neurophysiology, University of Gottingen, Gottingen, Germany.

SO Current biology: CB, (2004 Apr 20) 14 (8) 650-8. Journal code: 9107782. ISSN: 0960-9822.

CY England: United Kingdom

DT Journal; Article; (JOURNAL ARTICLE)

LA English

FS Priority Journals

EM 200406

ED Entered STN: 20040416

Last Updated on STN: 20040609 Entered Medline: 20040608

FULL ESTIMATED COST

Welcome to STN International! Enter x:x LOGINID:ssspta1805sxm PASSWORD: TERMINAL (ENTER 1, 2, 3, OR ?):2 Welcome to STN International NEWS Web Page URLs for STN Seminar Schedule - N. America 1 NEWS "Ask CAS" for self-help around the clock 2 NEWS JUL 12 BEILSTEIN enhanced with new display and select options, resulting in a closer connection to BABS IFIPAT/IFIUDB/IFICDB reloaded with new search and display AUG 02 NEWS fields NEWS AUG 02 CAplus and CA patent records enhanced with European and Japan 5 Patent Office Classifications NEWS 6 AUG 02 The Analysis Edition of STN Express with Discover! (Version 7.01 for Windows) now available BIOCOMMERCE: Changes and enhancements to content coverage NEWS 7 AUG 27 BIOTECHABS/BIOTECHDS: Two new display fields added for legal NEWS AUG 27 status data from INPADOC NEWS 9 SEP 01 INPADOC: New family current-awareness alert (SDI) available NEWS 10 SEP 01 New pricing for the Save Answers for SciFinder Wizard within STN Express with Discover! NEWS 11 SEP 01 New display format, HITSTR, available in WPIDS/WPINDEX/WPIX NEWS 12 SEP 27 STANDARDS will no longer be available on STN NEWS 13 SEP 27 SWETSCAN will no longer be available on STN NEWS 14 OCT 28 KOREAPAT now available on STN OCTOBER 29 CURRENT WINDOWS VERSION IS V7.01A, CURRENT NEWS EXPRESS MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP), AND CURRENT DISCOVER FILE IS DATED 11 AUGUST 2004 NEWS HOURS STN Operating Hours Plus Help Desk Availability NEWS INTER General Internet Information NEWS LOGIN Welcome Banner and News Items NEWS PHONE Direct Dial and Telecommunication Network Access to STN NEWS WWW CAS World Wide Web Site (general information) Enter NEWS followed by the item number or name to see news on that specific topic. All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties. FILE 'HOME' ENTERED AT 10:07:41 ON 17 NOV 2004 => file medline caplus embase biotechno biosis scisearch COST IN U.S. DOLLARS

SINCE FILE

ENTRY

0.21

TOTAL

0.21

SESSION

```
FILE 'MEDLINE' ENTERED AT 10:08:21 ON 17 NOV 2004
FILE 'CAPLUS' ENTERED AT 10:08:21 ON 17 NOV 2004
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)
FILE 'EMBASE' ENTERED AT 10:08:21 ON 17 NOV 2004
COPYRIGHT (C) 2004 Elsevier Inc. All rights reserved.
FILE 'BIOTECHNO' ENTERED AT 10:08:21 ON 17 NOV 2004
COPYRIGHT (C) 2004 Elsevier Science B.V., Amsterdam. All rights reserved.
FILE 'BIOSIS' ENTERED AT 10:08:21 ON 17 NOV 2004
Copyright (c) 2004 The Thomson Corporation.
FILE 'SCISEARCH' ENTERED AT 10:08:21 ON 17 NOV 2004
Copyright (c) 2004 The Thomson Corporation.
=> s connexin
        19141 CONNEXIN
1.1
=> s connexin43
         5439 CONNEXIN43
1.2
=> s connexin-43
      8698 CONNEXIN-43
1.3
=> s antisense or anti-sense
       143567 ANTISENSE OR ANTI-SENSE
=> s ribozyme
        21179 RIBOZYME
=> s sirna or rnai
         12598 SIRNA OR RNAI
L6
=> s 12 or 13
        11804 L2 OR L3
Ь7
\Rightarrow s 17 and 14
           305 L7 AND L4
=> 1717 and 15
L7L7 IS NOT A RECOGNIZED COMMAND
The previous command name entered was not recognized by the system.
For a list of commands available to you in the current file, enter
"HELP COMMANDS" at an arrow prompt (=>).
=> s 17 and 15
L9
             2 L7 AND L5
=>
=> s 17 and 16
             4 L7 AND L6
=> s 18 and wound
             7 L8 AND WOUND
L11
```

3 DUP REM L11 (4 DUPLICATES REMOVED)

=> dup rem 111

L12

PROCESSING COMPLETED FOR L11

- L12 ANSWER 1 OF 3 EMBASE COPYRIGHT 2004 ELSEVIER INC. ALL RIGHTS RESERVED. on STN
- L12 ANSWER 2 OF 3 MEDLINE on STN DUPLICATE 1 The repair of tissue damage is a key survival process in all organisms and AB involves the coordinated activation of several cell types. Cell-cell communication is clearly fundamental to this process, and a great deal is known about extracellular communication within the wound site via cytokines. Here we show that direct cell-cell communication through connexin 43 (Cx43) gap junction channels also plays a major role in the wound healing process. In two different wound healing models, incisional and excisional skin lesions, we show that a single topical application of Cx43 antisense gel brings about a transient downregulation of Cx43 protein levels, and this results in a dramatic increase in the rate of wound closure. Cx43 knockdown reduces inflammation, seen both macroscopically, as a reduction in swelling, redness, and wound gape, and microscopically, as a significant decrease in neutrophil numbers in the tissue around the wound. One long-term consequence of the improved rate of healing is a significant reduction in the extent of granulation tissue deposition and the subsequent formation of a smaller, less distorted, scar. This approach is likely to have widespread
- ANSWER 3 OF 3 CAPLUS COPYRIGHT 2004 ACS on STN

 A therapeutic and/or cosmetic formulation comprising at least one
 anti-sense polynucleotide to a connexin protein together
 with a pharmaceutically acceptable carrier or vehicle is useful in
 site-specific down-regulation of connexin protein expression, particularly
 in reduction of neuronal cell death, wound healing, reduction of
 inflammation, decrease of scar formation and skin rejuvenation and
 thickening.

therapeutic applications in other injured tissues and opens up new avenues

=> d 1-3

- L12 ANSWER 1 OF 3 EMBASE COPYRIGHT 2004 ELSEVIER INC. ALL RIGHTS RESERVED. on STN
- AN 2004221775 EMBASE
- TI Connecting wounds with connexins.
- AU Hodgins M.B.
- CS M.B. Hodgins, Squamous Cell Biol. and Dermatology, Div. Cancer Sci. and Molec. Pathol., University of Glasgow, Glasgow, United Kingdom
- SO Journal of Investigative Dermatology, (2004) 122/5 (ix-x). Refs: 12

of research into improving the wound healing process.

- ISSN: 0022-202X CODEN: JIDEAE
- CY United States
- DT Journal; Editorial
- FS 005 General Pathology and Pathological Anatomy
 - 013 Dermatology and Venereology
 - 029 Clinical Biochemistry
- LA English
- L12 ANSWER 2 OF 3 MEDLINE on STN DUPLICATE 1
- AN 2003460481 MEDLINE
- DN PubMed ID: 14521835
- TI Targeting connexin43 expression accelerates the rate of wound repair.
- AU Qiu Cindy; Coutinho Petula; Frank Stefanie; Franke Susanne; Law Lee-yong; Martin Paul; Green Colin R; Becker David L
- CS Department of Anatomy and Developmental Biology, University College

```
London, Gower St., WC1E 6BT London, UK.
     Current biology: CB, (2003 Sep 30) 13 (19) 1697-703.
SO
     Journal code: 9107782. ISSN: 0960-9822.
CY
     England: United Kingdom
DT
     Journal; Article; (JOURNAL ARTICLE)
     English
LA
     Priority Journals
FS
     200406
EM
ED
     Entered STN: 20031003
     Last Updated on STN: 20040606
     Entered Medline: 20040604
    ANSWER 3 OF 3 CAPLUS COPYRIGHT 2004 ACS on STN
L12
AN
     2000:535022 CAPLUS
DN
     133:155431
TΙ
     Formulations comprising antisense nucleotides to connexins
IN
     Becker, David Laurence; Green, Colin Richard
     University College London, UK
PA
SO
     PCT Int. Appl., 64 pp.
     CODEN: PIXXD2
     Patent
DΤ
     English
LΑ
FAN.CNT 1
     PATENT NO.
                          KIND
                                 DATE
                                              APPLICATION NO.
                                                                      DATE
                          _ _ _ _
                                  _____
                                              ______
     WO 2000044409
                                 20000803
                                           WO 2000-GB238
PΙ
                          A1
                                                                      20000127
         W: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU,
             CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL,
             IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI,
             SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM
         RW: GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE,
             DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF,
             CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG
                                           CA 2000-2361251
     CA 2361251
                           AA
                                 20000803
                                                                       20000127
     EP 1146908
                           A1
                                 20011024
                                             EP 2000-901236
                                                                       20000127
         R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
             IE, FI
     JP 2002535377
                           T2
                                 20021022
                                              JP 2000-595711
                                                                       20000127
     NZ 513154
                           Α
                                 20040130
                                              NZ 2000-513154
                                                                       20000127
     AU 776512
                           В2
                                 20040909
                                              AU 2000-21193
                                                                       20000127
PRAI NZ 1999-333928
                           Α
                                 19990127
     NZ 1999-500190
                           Α
                                 19991007
     WO 2000-GB238
                           W
                                 20000127
              THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD
RE.CNT 5
              ALL CITATIONS AVAILABLE IN THE RE FORMAT
```